Information For the User Acebrophylline (200mg) + Desloratadine (5mg) + Montelukast (10mg)

Abrostep DM tablet

Acebrophylline 200 mg + Desloratadine 5 mg + Montelukast 10 mg Tablet

Composition:

Each tablet contains:

- Acebrophylline 200 mg
- **Desloratadine** 5 mg
- Montelukast 10 mg

Pharmacological Action:

- 1. Acebrophylline: A bronchodilator and mucoregulator that relaxes airway muscles to relieve bronchospasms. It also helps reduce mucus viscosity and inflammation in the respiratory tract, aiding in easier breathing.
- 2. **Desloratadine**: An antihistamine that blocks H1 receptors, helping control allergic symptoms such as sneezing, runny nose, and itching.
- 3. **Montelukast**: A leukotriene receptor antagonist that prevents bronchoconstriction and inflammation in the airways, aiding in asthma management and alleviating allergy symptoms.

Indications:

This combination tablet is indicated for:

- Management of asthma, chronic obstructive pulmonary disease (COPD), and other obstructive airway diseases.
- Relief from symptoms of **allergic rhinitis**, including sneezing, runny nose, and itchy eyes.
- Prevention of exercise-induced bronchospasm.

Dosage and Administration:

• **Recommended Dose**: One tablet once daily, or as prescribed by the physician.

- Administration: Take the tablet with water, preferably in the evening, as montelukast is most effective during nighttime hours for asthma control.
- **Duration of Use**: Continue as directed by your healthcare provider; do not stop abruptly without consultation.

Precautions:

- **Pregnancy & Lactation**: Use only if prescribed, as safety in pregnancy and breastfeeding has not been fully established.
- **Driving & Machinery**: Desloratadine may cause mild drowsiness in some individuals, so exercise caution when driving or operating machinery.
- Patients with Liver or Kidney Impairment: Dose adjustments may be necessary; consult with your healthcare provider for guidance.

Contraindications:

- Known hypersensitivity to any active ingredients in the combination.
- Severe hepatic impairment.

Adverse Reactions:

- **Common**: Headache, drowsiness, dry mouth, nausea, and dizziness.
- Serious but Rare: Palpitations, skin rashes, and symptoms of severe allergic reactions (e.g., difficulty breathing). Report these to your healthcare provider immediately.

Drug Interactions:

- Avoid combining with other methylxanthines (such as theophylline) to minimize the risk of toxicity.
- Caution with other bronchodilators or antihistamines, as they may enhance side effects.

Storage:

- Store in a cool, dry place below 25°C, away from light and moisture.
- Keep out of reach of children.

Note: This information is intended as a guideline. Always follow the healthcare provider's advice for the specific use of this medication based on your individual health status and needs.

Manufactured in India for:



Cafoli Lifecare Pvt. Ltd. (An ISO 9001: 2015 Certified Co.) Plot no.: 367-FF, Industrial Area Phase-I, Panchkula-134113 TM: Trademark Applied for