

Acarbridge 50 Tablet

Brand Name: Acarbridge 50 Tablet

Dosage Form: Tablet

Composition:

Each tablet contains:

- Acarbose IP 50 mg
-

Description:

Acarbridge 50 Tablet contains Acarbose, an alpha-glucosidase inhibitor indicated for the management of type 2 diabetes mellitus. It acts locally in the intestine by delaying the breakdown and absorption of dietary carbohydrates. It helps in reducing post-prandial blood glucose elevations and improving overall glycemic control when used in conjunction with appropriate diet and exercise.

Indications:

Indicated for the treatment of:

- Type 2 diabetes mellitus
- Post-prandial hyperglycemia
- Adjunctive therapy with diet and exercise for glycemic management

It helps in controlling post-meal blood glucose levels and maintaining long-term glycemic stability.

Dosage & Administration:

Dosage should be as directed by the physician.

The tablet should be taken orally at the start of each main meal or with the first bite of food.

Regular monitoring of blood glucose levels is recommended during treatment.

Pharmacological Action:

- Acarbose inhibits intestinal alpha-glucosidase enzymes responsible for the conversion of complex carbohydrates into absorbable glucose.
- This delays carbohydrate digestion and slows glucose absorption from the gastrointestinal tract.

These actions help in reducing post-prandial glucose fluctuations and improving metabolic control.

Side Effects:

Common side effects include flatulence, abdominal pain, bloating, diarrhea, and gastrointestinal discomfort.

These effects are generally related to carbohydrate fermentation in the colon and may lessen with continued use.

Precautions & Warnings:

- Use with caution in patients with chronic intestinal disorders or inflammatory bowel disease

- **Monitor liver function during long-term therapy**
 - **In cases of hypoglycemia during combination therapy, glucose (dextrose) should be used instead of sucrose**
 - **Not indicated for type 1 diabetes mellitus or diabetic ketoacidosis**
-

Drug Interactions:

May enhance the glucose-lowering effects of other antidiabetic medications.

Digestive enzyme preparations and intestinal adsorbents may reduce the efficacy of Acarbose.

Storage:

Store below 25°C in a cool, dry place.

Protect from light and moisture.

Keep out of reach of children.

Manufactured in India for:



Cafoli Lifecare Pvt. Ltd.

(An ISO 9001: 2015 Certified Co.)

Plot no.: 367-FF, Industrial Area Phase-I, Panchkula-134113

Corporate Office :

Plot no. 307, Industrial Area Phase-2,

Panchkula, Haryana -134113

TM: Trademark Applied for