

Information For the Use of  
Atropine Sulphate 1% Eye Ointment

# Atrowave Eye Ointment

**Brand Name:** Atrowave Eye Ointment

**Dosage Form:** Eye Ointment

**Composition:**

**Each gram contains:**

- Atropine Sulphate IP 1% w/w
  - Ophthalmic ointment base q.s.
- 

**Description:**

Atrowave Eye Ointment contains Atropine Sulphate, an anticholinergic (parasympatholytic) agent used in ophthalmology to produce mydriasis and cycloplegia. It is indicated for various ocular conditions requiring pupil dilation, relief of ciliary muscle spasm, and management of inflammatory conditions of the anterior segment of the eye. It helps in reducing ocular pain associated with ciliary spasm and facilitates diagnostic and therapeutic ophthalmic procedures.

---

**Indications:**

Indicated for the treatment and management of:

- Uveitis and iridocyclitis
- Anterior segment inflammatory conditions
- Cycloplegia for refraction procedures
- Mydriasis for ophthalmic examination
- Prevention of posterior synechiae formation

It helps in dilating the pupil, relieving ciliary spasm, and reducing ocular discomfort.

---

**Dosage & Administration:**

Apply a small amount of ointment inside the lower conjunctival sac of the affected eye(s) as directed by the physician.

Wash hands thoroughly before application.

Avoid touching the tube tip to the eye or any surface to prevent contamination.

Use only under medical supervision.

---

**Pharmacological Action:**

- Atropine Sulphate competitively blocks muscarinic receptors in the iris sphincter muscle and ciliary body.
- This results in pupil dilation (mydriasis) and paralysis of accommodation (cycloplegia).
- It also reduces painful ciliary muscle spasms associated with ocular inflammation.

These actions assist in both therapeutic and diagnostic ophthalmic management.

---

**Side Effects:**

Common side effects include temporary blurred vision, photophobia, eye irritation, and stinging

sensation after application.

Systemic anticholinergic effects such as dry mouth, flushing, tachycardia, or fever may occur, particularly in children and sensitive individuals.

---

**Precautions & Warnings:**

- For ophthalmic use only
  - Use with caution in children and elderly patients
  - May cause prolonged pupil dilation and sensitivity to light
  - Use cautiously in patients with narrow-angle glaucoma or predisposition to angle-closure glaucoma
  - Avoid driving or operating machinery until vision returns to normal
  - Avoid contamination of the tube tip
- 

**Drug Interactions:**

May enhance the effects of other anticholinergic medications.

Caution is advised when used concomitantly with drugs having antimuscarinic activity.

---

**Storage:**

Store below 25°C in a cool, dry place.

Protect from light.

Do not freeze.

Keep the tube tightly closed after use.

Keep out of reach of children.

Manufactured in India for:



**Cafoli Lifecare Pvt. Ltd.**

**(An ISO 9001: 2015 Certified Co.)**

Plot no.: 367-FF, Industrial Area Phase-I, Panchkula-134113

**Corporate Office :**

Plot no. 307, Industrial Area Phase-2,

Panchkula, Haryana -134113

TM: Trademark Applied for