

Bringcetam 50

Brivaracetam 50mg Tablet

An Advanced Antiepileptic Medication for Seizure Management

Composition (Per Tablet):

- **Brivaracetam I.P.** – 50mg

Product Overview:

Brivaracetam is a **highly effective antiepileptic drug (AED)** used in the **management of partial-onset seizures** in individuals with epilepsy. It works by modulating the **synaptic vesicle protein 2A (SV2A)**, **reducing neuronal hyperexcitability** and preventing seizures.

This medication is commonly prescribed as **monotherapy or adjunct therapy** for better seizure control with minimal drug interactions and side effects.

Key Benefits:

- **Effectively controls partial-onset seizures** in epilepsy patients
- **Fast-acting and highly selective SV2A ligand**, ensuring targeted seizure control
- **Lower risk of drug interactions**, making it suitable for combination therapy
- **Well-tolerated** with minimal sedation compared to other AEDs
- Helps improve **quality of life** by reducing seizure frequency and severity

How It Works:

Brivaracetam binds to **synaptic vesicle protein 2A (SV2A)** in the brain, regulating neurotransmitter release. This **reduces abnormal electrical activity**, preventing the occurrence of seizures.

Indications:

- **Partial-onset seizures** in patients with epilepsy (≥16 years old)
- **Adjunctive therapy** for improved seizure control
- **Monotherapy** for epilepsy management in select cases

Dosage & Administration:

- **Usual Adult Dose:** 50mg **twice daily** (100mg/day)
- **Dosage Adjustment:** May be increased up to **200mg/day** based on patient response
- **Swallow whole with water; do not crush or chew**
- Can be taken **with or without food**

Precautions & Warnings:

- May cause **drowsiness, dizziness, or fatigue**; avoid driving or operating machinery
- Use cautiously in patients with **liver or kidney impairment**
- Should not be stopped abruptly; sudden discontinuation may increase seizure risk
- Not recommended for patients with **severe hypersensitivity to Brivaracetam**
- Monitor for **mood changes or suicidal thoughts** in epilepsy patients

Side Effects (Generally Mild & Well-Tolerated):

- Drowsiness or fatigue
- Dizziness or vertigo
- Nausea or gastrointestinal discomfort
- Mood changes (rare)

Storage Instructions:

- Store in a **cool, dry place**, away from direct sunlight
 - Keep out of reach of children
 - Do not refrigerate or freeze
-

Why Choose This Product?

- **Clinically proven for epilepsy management**
- **Fast-acting and highly selective SV2A ligand**
- **Minimal drug interactions** compared to older AEDs
- **Improves seizure control with better tolerability**

For best results, **follow the prescribed dosage** and consult your doctor for personalized epilepsy management. If any unusual side effects occur, seek medical attention promptly.

Manufactured in India for:



Cafoli Lifecare Pvt. Ltd.

(An ISO 9001: 2015 Certified Co.)

Plot no.: 367-FF, Industrial Area Phase-I,
Panchkula-134113

TM: Trademark Applied for