Information For the Use Chlorpheniramine Maleate (2mg) + Phenylephrine (5mg)

Coldstave AF Syrup

Chlorpheniramine Maleate (2mg) + Phenylephrine (5mg) Syrup

This syrup combines Chlorpheniramine

from symptoms of cold, allergies, and nasal

Maleate, an antihistamine, and Phenylephrine, a nasal decongestant, to provide effective relief

Composition (per 5ml):

• Chlorpheniramine Maleate: 2mg

• Phenylephrine: 5mg

Indications:

congestion.

This syrup is used for the symptomatic relief of:

- 1. Allergic Conditions:
 - o Runny nose
 - Sneezing
 - Watery eyes
 - **o** Itching of the nose or throat
- 2. Nasal Congestion due to:
 - o Common cold
 - Sinusitis
 - **Upper respiratory tract infections**

Mechanism of Action:

- 1. Chlorpheniramine Maleate: A histamine H1-receptor antagonist that helps reduce allergy symptoms like sneezing, runny nose, and itching.
- 2. Phenylephrine: A selective alpha-1 adrenergic receptor agonist that reduces nasal swelling and congestion by

constricting blood vessels in the nasal passages.

Dosage & Administration:

- Adults and Children Above 12 Years: 5ml every 6 hours (maximum 20ml in 24 hours).
- Children 6–12 Years: 2.5ml every 6 hours (maximum 10ml in 24 hours).
- Children 2–6 Years: 1.25ml every 6 hours (maximum 5ml in 24 hours).

Note: Dosage should be adjusted as per physician's advice.

Side Effects:

- **Common Side Effects:**
 - o **Drowsiness**
 - o Dry mouth, nose, or throat
 - Mild dizziness
- **Serious Side Effects (Rare):**
 - o Increased blood pressure (Phenylephrine)
 - Allergic reactions (rash, itching, swelling)

Precautions:

- 1. Allergy: Avoid use in individuals allergic to antihistamines or decongestants.
- 2. Hypertension: Use cautiously in patients with high blood pressure due to Phenylephrine.
- 3. Drowsiness: Avoid driving or operating heavy machinery.
- 4. Pregnancy and Lactation: Consult a doctor before use.

5. Children Under 2 Years: Use only under medical supervision.

Drug Interactions:

- Monoamine Oxidase Inhibitors (MAOIs): May enhance the effects of Phenylephrine.
- Alcohol or Sedatives: May increase drowsiness caused by Chlorpheniramine.

Overdose Symptoms:

- Chlorpheniramine: Drowsiness, confusion, or difficulty breathing.
- Phenylephrine: High blood pressure, restlessness, or irregular heartbeat.
- Immediate medical attention is required in case of overdose.

Storage:

- Store at room temperature (15–25°C).
- Protect from direct sunlight and moisture.
- · Keep out of reach of children.

Key Counseling Points:

- 1. Shake the bottle well before use.
- 2. Use the provided measuring device for accurate dosing.
- 3. Avoid consuming alcohol while taking this medication.
- 4. If symptoms persist for more than 5 days or worsen, consult a doctor.

This Chlorpheniramine Maleate (2mg) + Phenylephrine (5mg) Syrup provides effective and fast relief from cold and allergy symptoms. Use as directed for best results.

Manufactured in India for:



(An ISO 9001: 2015 Certified Co.)

Plot no.: 367-FF, Industrial Area Phase-I,

Panchkula-134113

TM: Trademark Applied for