

Omihub D Capsule

**Domperidone (10 mg) + Omeprazole (20 mg)
Capsule**

Description:

This combination capsule contains Domperidone, a prokinetic agent, and Omeprazole, a proton pump inhibitor (PPI). It is used to treat gastrointestinal conditions associated with acid reflux and motility disorders by reducing stomach acid production and improving gastric motility.

Composition:

- Domperidone: 10 mg
 - Omeprazole: 20 mg
-

Indications:

This medication is indicated for:

1. **Gastroesophageal Reflux Disease (GERD):** Provides relief from symptoms such as heartburn and acid regurgitation.
 2. **Dyspepsia:** Treats indigestion, bloating, and nausea.
 3. **Peptic Ulcers:** Promotes healing by reducing gastric acid secretion.
 4. **Nausea and Vomiting:** Associated with delayed gastric emptying or gastroesophageal conditions.
 5. **Functional Dyspepsia:** Relieves symptoms caused by slow stomach emptying.
-

Mechanism of Action:

1. Domperidone:

- Enhances gastrointestinal motility by blocking dopamine receptors in the gut.
- Promotes faster emptying of stomach contents into the intestines, reducing nausea and vomiting.

2. Omeprazole:

- Inhibits the proton pump in gastric parietal cells, effectively reducing stomach acid production.
 - Helps in the healing of ulcers and prevents acid-related damage.
-

Dosage and Administration:

- **Usual Adult Dose:** One capsule daily, preferably taken 15–30 minutes before meals or as directed by a physician.
-

Side Effects:

- **Common:** Dry mouth, headache, dizziness, abdominal discomfort, or diarrhea.
 - **Rare but Serious:** Allergic reactions, breast tenderness or enlargement (Domperidone), or low magnesium levels (Omeprazole).
-

Precautions:

1. Use with caution in patients with liver or kidney impairment.

- 2. Not recommended for long-term use unless advised by a doctor.**
 - 3. Avoid taking with medications that prolong the QT interval, as Domperidone may increase the risk of arrhythmias.**
 - 4. Do not take concurrently with other proton pump inhibitors or prokinetic agents unless prescribed.**
-

Contraindications:

- Hypersensitivity to Domperidone, Omeprazole, or any component of the capsule.**
 - Patients with gastrointestinal bleeding, obstruction, or perforation.**
-

Storage:

- Store in a cool, dry place, away from direct sunlight and moisture.**
 - Keep out of reach of children.**
-

Note: This medication should only be used under medical supervision. Complete the full prescribed course, even if symptoms improve. Consult a healthcare provider for any persistent or worsening symptoms.

Manufactured in India for:

CafoliTM
L I F E C A R E

Cafoli Lifecare Pvt. Ltd.

(An ISO 9001: 2015 Certified Co.)

Plot no.: 367-FF, Industrial Area Phase-I,
Panchkula-134113

TM: Trademark Applied for