

Alum (1.50% w/v) + Camphor (0.20% w/v) + Iodine (1.00% w/v) + Menthol (0.25% w/v) + Potassium Iodide (2.00% w/v) + Tannic Acid (0.50% w/v) + Thymol (0.25% w/v)

Orastyle Gum Paint

Alum (1.50% w/v) + Camphor (0.20% w/v) + Iodine (1.00% w/v) + Menthol (0.25% w/v) + Potassium Iodide (2.00% w/v) + Tannic Acid (0.50% w/v) + Thymol (0.25% w/v) Gum Paint

Description:

This gum paint is a topical formulation containing a combination of Alum, Camphor, Iodine, Menthol, Potassium Iodide, Tannic Acid, and Thymol. It is designed for use in the oral cavity to manage conditions related to gum and oral tissue inflammation, infections, or irritation. The formulation has antiseptic, astringent, and soothing properties, providing relief from pain and discomfort caused by dental conditions.

Composition:

- Alum: 1.50% w/v
 - Camphor: 0.20% w/v
 - Iodine: 1.00% w/v
 - Menthol: 0.25% w/v
 - Potassium Iodide: 2.00% w/v
 - Tannic Acid: 0.50% w/v
 - Thymol: 0.25% w/v
-

Indications:

This gum paint is indicated for:

1. **Gum Inflammation:** Reduces swelling, pain, and irritation of the

gums caused by gingivitis or other oral infections.

2. **Mouth Ulcers:** Helps in the healing of painful mouth sores.
 3. **Periodontal Disease:** Used to manage symptoms of periodontal conditions like gum recession, bleeding, and soreness.
 4. **Infections:** Acts as an antiseptic to reduce bacterial load in the mouth, preventing further infection.
 5. **Sore Gums:** Alleviates discomfort from sore gums, including those caused by dentures or braces.
-

Mechanism of Action:

1. **Alum:** Acts as an astringent, tightening tissues and reducing swelling.
2. **Camphor:** Provides a cooling effect, which soothes irritation and relieves pain.
3. **Iodine:** Has strong antiseptic properties, helping to eliminate bacteria and promote healing.
4. **Menthol:** Offers a cooling sensation, providing temporary relief from oral pain and discomfort.
5. **Potassium Iodide:** Enhances the antiseptic action of iodine and reduces inflammation.
6. **Tannic Acid:** Has astringent properties, helping to tighten and protect the mucous membranes.
7. **Thymol:** Acts as an antiseptic and antimicrobial agent, aiding in infection control.

Dosage and Administration:

- **Application:**
 - Shake the bottle well before use.
 - Apply a small amount of gum paint directly to the affected area of the gums or oral tissues using a clean cotton swab or fingertip.
 - Do not swallow the gum paint.
 - Avoid eating or drinking for at least 30 minutes after application to allow for optimal absorption and effectiveness.
 - Repeat the application 2-3 times daily or as directed by a healthcare professional.

Side Effects:

- **Common:** Mild irritation or burning sensation at the site of application.
- **Rare but Serious:** Allergic reactions such as rash, swelling, or difficulty breathing.
- **Note:** Prolonged use may lead to changes in the color of the applied area, especially due to the iodine content.

Precautions:

1. **Sensitivity:** Conduct a patch test before use to ensure no allergic reactions occur.
2. **Avoid Contact with Eyes:** This product should not come into contact with the eyes. If accidental contact occurs, rinse thoroughly with water.

3. **Pregnancy and Breastfeeding:** Consult a healthcare provider before use if pregnant or breastfeeding.
4. **Children:** Use with caution in young children; consult a doctor for appropriate use.
5. **Avoid Excessive Use:** Do not over-apply as it may cause irritation or discoloration of the oral mucosa.

Storage:

- Store in a cool, dry place, away from direct sunlight and moisture.
- Keep the container tightly closed and out of reach of children.

Note: This product should only be used for the intended purpose and according to the prescribed instructions. If symptoms persist or worsen, consult a healthcare provider for further advice.

Manufactured in India for:

CafoliTM
L I F E C A R E

Cafoli Lifecare Pvt. Ltd.

(An ISO 9001: 2015 Certified Co.)

Plot no.: 367-FF, Industrial Area Phase-I,

Panchkula-134113

TM: Trademark Applied for