

Information For the User
Paracetamol (500mg) Suspension

Paraplom 500 Suspension

Brand Name: Paraplom 500 Suspension

Composition:

Each 5 ml of suspension contains:

Paracetamol IP 500 mg

Suspension Base q.s.

Therapeutic Indication:

Indicated for relief of mild to moderate pain such as headache, toothache, musculoskeletal pain, and for the reduction of fever

Effective in conditions like cold, influenza, post-vaccination pyrexia, and other febrile conditions

Mechanism of Action:

Paracetamol is a non-opioid analgesic and antipyretic

It inhibits prostaglandin synthesis in the central nervous system and elevates the pain threshold

Reduces fever by acting on the hypothalamic heat-regulating center

Dosage & Administration:

Adults: 5 ml every 6–8 hours as required, not exceeding 4 g per day

Children: Dose as per body weight or as directed by the physician

Shake well before use

Do not exceed the recommended dose to avoid hepatotoxicity

Contraindications:

Hypersensitivity to Paracetamol or any component of the formulation

Severe hepatic impairment or active liver disease

Warnings & Precautions:

Use with caution in patients with impaired liver or kidney function

Avoid concomitant use with other paracetamol-containing products

Overdose may cause severe liver damage

Seek medical attention immediately in case of accidental overdose

Side Effects:

Common: generally well tolerated

Less common: nausea, rash, mild allergic reactions

Rare: hepatotoxicity, thrombocytopenia, hypersensitivity reactions

Storage:

Store in a cool, dry, and dark place below 25°C

Protect from light and moisture

Keep out of reach of children

Packaging:

Paraplom 500 Suspension is available in 60 ml and 100 ml bottles with measuring cup

Schedule:

Schedule H Prescription Drug – To be sold by retail on the prescription of a registered medical practitioner only

Manufactured in India for:



Cafoli Lifecare Pvt. Ltd.

(An ISO 9001: 2015 Certified Co.)

Plot no.: 367-FF, Industrial Area Phase-I,
Panchkula-134113

TM: Trademark Applied for