Peblegest 200 SR Tablet

Progesterone (Natural Micronized) 200mg SR Tablet

Description

Progesterone (Natural Micronized) 200mg SR Tablet is a sustained-release formulation designed to provide controlled, consistent release of progesterone over an extended period. It is a bio-identical hormone derived from plant sources, formulated to mimic the natural progesterone produced in the body.

Composition (Per Tablet)

- Progesterone (Natural Micronized) 200mg
 - A plant-derived, bio-identical form of progesterone, used to support hormonal balance in the body.
 Micronization helps in improving absorption and bioavailability.

Indications

Progesterone (Natural Micronized) 200mg SR Tablet is used for:

- Hormonal Imbalance Treatment: Helps balance progesterone levels in women with menstrual irregularities or luteal phase defects.
- Menopause: Alleviates symptoms of menopause, such as hot flashes, night sweats, and mood swings, by supplementing the body's natural progesterone.
- Postmenopausal Hormone Therapy: Often prescribed alongside estrogen in hormone replacement therapy (HRT) for menopausal women.
- Progesterone Deficiency: Used in conditions where the body is not producing enough progesterone, such as during certain infertility treatments or in cases of anovulation.

• Prevention of Endometrial Hyperplasia: Often used in combination with estrogen for women with an intact uterus to prevent endometrial thickening that can result from estrogen therapy.

Dosage and Administration

- Adults (typically): 1 tablet (200mg) daily, taken at bedtime or as directed by a healthcare provider.
- For Hormone Replacement Therapy (HRT): 1 tablet daily, typically for the second half of the menstrual cycle or as prescribed by a doctor.
- For Support in Pregnancy or Infertility
 Treatment: The dosage may vary based on
 the specific treatment protocol. Always follow
 the instructions given by your healthcare
 provider.
- Take with food: To improve absorption and reduce the risk of gastrointestinal upset.

Contraindications

- Hypersensitivity: Known allergy to progesterone or any of the tablet's excipients.
- Active Liver Disease: Progesterone should be used cautiously or avoided in patients with active liver disease or dysfunction.
- Undiagnosed Vaginal Bleeding: Progesterone treatment should be avoided until the cause of abnormal vaginal bleeding is identified.
- History of Hormone-Sensitive Cancers: Such as breast, ovarian, or uterine cancers.

Warnings and Precautions

- 1. Pregnancy and Lactation:
 - Pregnancy: Consult a healthcare provider before using during pregnancy. It is commonly prescribed

- during early pregnancy under the supervision of a healthcare provider.
- Breastfeeding: Progesterone is generally considered safe during breastfeeding but should be used under medical supervision.
- 2. Endometrial Cancer Risk: Long-term use of progesterone can increase the risk of endometrial cancer in some women. Regular check-ups are advised for women using progesterone therapy over extended periods.
- 3. Cardiovascular Conditions: Progesterone should be used cautiously in individuals with a history of heart disease or stroke as it may increase the risk of blood clots.
- 4. Monitor Hormonal Levels: For patients undergoing hormone replacement therapy, regular monitoring of hormone levels and uterine health is recommended.

Side Effects

Common side effects include:

- Drowsiness or sedation (due to sustainedrelease formulation).
- Headache or migraines.
- Breast tenderness.
- Mood changes, including irritability or depression.
- Bloating or mild abdominal discomfort.
- Weight gain or fluid retention.

Serious side effects (rare):

- Blood Clots: Such as deep vein thrombosis (DVT) or pulmonary embolism.
- Liver Dysfunction: Symptoms such as jaundice, dark urine, or unexplained nausea may indicate liver issues.
- Severe Allergic Reactions: Rash, itching, or difficulty breathing.

Drug Interactions

 Anticonvulsants and Antibiotics: Certain medications may reduce the effectiveness of progesterone or interfere with its absorption.

- Hormonal Therapies: If combined with estrogen or other hormonal treatments, the dosage may need to be adjusted.
- CYP450 Enzyme Modulators: Drugs that alter the cytochrome P450 enzyme system, such as antifungals or antivirals, may affect progesterone metabolism.

Always inform your healthcare provider of any other medications, including over-the-counter drugs or supplements, you are taking before starting treatment.

Storage Instructions

- Store at room temperature, between 15°C to 30°C (59°F to 86°F).
- Keep the tablet in its original packaging to protect it from moisture and light.
- Keep out of the reach of children.

Presentation

• Pack size: Available in 30 tablets per bottle.

Note:

This product should only be used under the guidance of a healthcare provider. Regular monitoring of hormone levels and uterine health is recommended during long-term use. Always follow the prescribed dosage and never self-adjust the treatment without consulting your doctor.

Manufactured in India for:



Cafoli Lifecare Pvt. Ltd.

(An ISO 9001: 2015 Certified Co.) Plot no.: 367-FF, Industrial Area Phase-I,

Panchkula-134113

TM: Trademark Applied for