

Information For the User
Permethrin 1% w/w Soap

Permitime Soap

Permitime Soap

Composition:

Each gram of soap contains:

- **Permethrin IP** – 1% w/w
- **Soap base** – q.s.
- **Fragrance and preservatives** – q.s.

Dosage Form:

Medicated Soap

Therapeutic Category:

Scabicial and Pediculocidal Agent

Pharmacology & Mechanism of Action:

Permethrin is a synthetic pyrethroid that acts on the nerve cell membrane to disrupt the sodium channel current, delaying repolarization and resulting in paralysis and death of parasites. It is effective against *Sarcoptes scabiei* (causing scabies) and *Pediculus humanus capitis* (head lice), as well as other ectoparasites.

Topical application of Permethrin acts on the skin to eliminate mites, lice, and their eggs, offering both treatment and preventive benefits.

Indications:

- Treatment and prevention of **scabies**
- Management of **pediculosis (lice infestation)**
- Helps maintain hygiene in **infestation-prone environments**

Dosage & Administration:

- Wet the skin thoroughly with lukewarm water
- Apply **Permitime Soap** generously to the entire body, especially affected areas
- Massage gently into a lather and leave on the skin for 5–10 minutes
- Rinse thoroughly with clean water
- Use once daily or as directed by the physician
- In scabies treatment, simultaneous treatment of close contacts is advised to prevent reinfestation

Contraindications:

- Hypersensitivity to permethrin or any component of the formulation
- Avoid use in broken or inflamed skin unless directed by a physician
- Not to be used in infants under 2 months of age unless prescribed

Warnings & Precautions:

- For **external use only**
- Avoid contact with **eyes, mucous membranes, and mouth**
- In case of irritation or rash, discontinue use and consult a physician
- Keep away from open wounds or severely inflamed skin
- Use with caution in patients with known skin allergies

Drug Interactions:

- No significant systemic drug interactions expected due to topical use
- Avoid concurrent use with other topical scabicides or irritants unless prescribed

Adverse Effects:

- Mild skin irritation, redness, or burning sensation (usually transient)
- Rare allergic skin reactions like rash, itching, or dermatitis
- In sensitive individuals, pruritus may persist after mite eradication

Overdose:

- Unlikely due to topical use
- Excessive or repeated use may cause skin dryness or irritation
- In case of accidental ingestion, seek immediate medical help

Storage:

Store in a cool, dry place below 25°C
 Protect from direct sunlight and moisture
 Keep out of reach of children

Manufactured in India for:



Cafoli Lifecare Pvt. Ltd.

(An ISO 9001: 2015 Certified Co.)

Plot no.: 367-FF, Industrial Area Phase-I,
 Panchkula-134113

TM: Trademark Applied for