## Information For the User Racecadotril 100mg Capsule

# Racedime Capsule

### **Composition:**

#### **Description:**

Recedime Capsule contains Racecadotril, an intestinal antisecretory agent used in the treatment of acute diarrhea. It acts on the enkephalinase enzyme to reduce intestinal hypersecretion of water and electrolytes without affecting intestinal motility, thereby preserving normal bowel function. It provides rapid symptom relief while maintaining gut physiology.

#### **Indications:**

Acute diarrhea in adults and children above the recommended age Adjunct therapy to oral rehydration solution in dehydration Supportive treatment to control fluid and electrolyte loss in diarrhea

#### **Mechanism of Action:**

Racecadotril is a prodrug that converts into thiorphan, an enkephalinase inhibitor. By inhibiting the breakdown of endogenous enkephalins, it reduces cyclic AMP-mediated hypersecretion of water and electrolytes in the intestine, thereby decreasing stool output and preventing dehydration.

## **Dosage and Administration:**

Adults: 1 capsule (100 mg) three times daily before main meals or as directed by the physician. Treatment should be continued until two normal stools are observed but not beyond 7 days. To be used alongside oral rehydration therapy if required.

#### **Side Effects:**

Headache Nausea, vomiting Abdominal pain Skin rash or hypersensitivity (rare)

#### **Precautions:**

Not to be used in chronic diarrhea or diarrhea associated with antibiotic use without medical advice

Use with caution in renal or hepatic impairment

Contraindicated in patients with hypersensitivity to Racecadotril or any component of the formulation

Not a substitute for oral rehydration solution in dehydration

## **Storage:**

Store in a cool, dry place below 25°C. Protect from light and moisture. Keep out of reach of children.

Manufactured in India for:



(An ISO 9001: 2015 Certified Co.)

Plot no.: 367-FF, Industrial Area Phase-I,

Panchkula-134113

TM: Trademark Applied for