

Information For the User  
Rosuvastatin (40 mg) + Ezetimibe (10 mg) Tablet

# Rosumore EZ 40 Tablet

**Brand Name:** Rosumore EZ 40 Tablet

**Dosage Form:** Tablet

**Composition:**

Each film-coated tablet contains:

- Rosuvastatin Calcium IP equivalent to Rosuvastatin 40 mg
- Ezetimibe IP 10 mg

**Description:**

Rosumore EZ 40 Tablet is a combination of Rosuvastatin, a HMG-CoA reductase inhibitor, and Ezetimibe, a cholesterol absorption inhibitor. This combination is used for the management of dyslipidemia where monotherapy is inadequate. It helps in effectively reducing elevated levels of total cholesterol, LDL-cholesterol, and triglycerides, thereby lowering cardiovascular risk.

**Indications:**

Indicated for the treatment of:

- Primary hypercholesterolemia
- Mixed dyslipidemia
- Hyperlipidemia in patients not adequately controlled on statin therapy alone

It helps in improving lipid profiles and reducing the risk of atherosclerotic cardiovascular events.

**Dosage & Administration:**

Dosage should be as directed by the physician.

The tablet should be swallowed whole with water and may be taken with or without food.

Regular lipid monitoring is advised during therapy.

**Pharmacological Action:**

Rosuvastatin inhibits HMG-CoA reductase, reducing hepatic cholesterol synthesis and increasing LDL receptor activity. Ezetimibe selectively inhibits intestinal absorption of cholesterol, leading to a complementary reduction in circulating cholesterol levels.

**Side Effects:**

Generally well tolerated.

Possible side effects include headache, myalgia, abdominal discomfort, nausea, and increased liver enzymes.

**Precautions & Warnings:**

- Use with caution in patients with hepatic impairment
- Periodic monitoring of liver function tests is recommended
- Discontinue therapy if unexplained muscle pain or weakness occurs
- Not recommended during pregnancy and lactation

**Drug Interactions:**

Caution is advised when used with other lipid-lowering agents due to an increased risk of myopathy.

Concomitant use with cyclosporine may increase rosuvastatin levels.

**Storage:**

Store below 25°C in a cool, dry place.

Protect from light and moisture.

Keep out of reach of children.

Manufactured in India for:



**Cafoli Lifecare Pvt. Ltd.**

**(An ISO 9001: 2015 Certified Co.)**

Plot no.: 367-FF, Industrial Area Phase-I,

Panchkula-134113

TM: Trademark Applied for