Information For the User Rosuvastatin 20 mg tablet

Rosumore 20

Composition:

Each film-coated tablet contains:
Rosuvastatin Calcium I.P. equivalent to Rosuvastatin
Excipientsq.s

Description:

Rosumore 20 Tablet contains Rosuvastatin, a potent HMG-CoA reductase inhibitor (statin) used to lower elevated cholesterol and triglyceride levels. It helps reduce the risk of atherosclerosis, cardiovascular events, and stroke by decreasing LDL cholesterol, increasing HDL cholesterol, and reducing total cholesterol.

Indications:

Primary hypercholesterolemia Mixed dyslipidemia Hypertriglyceridemia Familial homozygous hypercholesterolemia Prevention of cardiovascular events in high-risk patients

Mechanism of Action:

Rosuvastatin selectively inhibits HMG-CoA reductase, the key enzyme in the cholesterol biosynthesis pathway. This reduces hepatic cholesterol production and upregulates LDL receptors, enhancing clearance of LDL cholesterol from the blood.

Dosage and Administration:

Adults: Usual starting dose 5–10 mg once daily; can be titrated up to 20 mg or as prescribed by the physician based on lipid profile and patient response.

To be taken with or without food, preferably at the same time each day.

Side Effects:

Headache, dizziness Myalgia, muscle cramps Abdominal pain, nausea

Rare: Rhabdomyolysis, hepatic enzyme elevation

Precautions:

Monitor liver function before and during therapy
Use with caution in patients with renal impairment
Contraindicated in active liver disease or unexplained persistent transaminase elevation
Avoid in pregnancy and lactation
Report unexplained muscle pain or weakness promptly

Storage:

Store in a cool, dry place below 25°C. Protect from light and moisture. Keep out of reach of children.

Manufactured in India for:



(An ISO 9001: 2015 Certified Co.)

Plot no.: 367-FF, Industrial Area Phase-I,

Panchkula-134113

TM: Trademark Applied for