# Information For the User Sacubitril 98 mg + Valsartan 102 mg tablet

# Sacustep 200 Tablet

**Brand Name:** Sacustep 200 Tablet

# **Composition:**

Each film-coated tablet contains:

Sacubitril 98 mg Valsartan 102 mg

### **Therapeutic Indication:**

Indicated for the treatment of heart failure with reduced ejection fraction (HFrEF) Helps in reducing cardiovascular mortality, hospitalization due to heart failure, and improving symptoms of heart failure

#### **Mechanism of Action:**

Sacubitril is a neprilysin inhibitor that increases levels of natriuretic peptides, leading to vasodilation, natriuresis, and inhibition of pathological growth in the heart

Valsartan is an angiotensin II receptor blocker (ARB) that inhibits the binding of angiotensin II to AT1 receptors, causing vasodilation and reduction in aldosterone-mediated sodium and water retention

The combination (ARNI – angiotensin receptor neprilysin inhibitor) provides synergistic effects to reduce cardiac load and improve heart failure outcomes

### **Dosage & Administration:**

Usual adult dose: one tablet twice daily or as directed by the physician

Take consistently with or without food

Do not abruptly discontinue therapy

Adjust dose based on blood pressure, renal function, and tolerability

#### **Contraindications:**

Hypersensitivity to Sacubitril, Valsartan, or any component of the formulation

History of angioedema related to ACE inhibitors or ARBs

Concomitant use with ACE inhibitors or within 36 hours of switching from ACE inhibitor therapy

Pregnancy and lactation

Severe hepatic impairment or biliary obstruction

#### **Warnings & Precautions:**

Monitor blood pressure, renal function, and serum electrolytes regularly Use with caution in patients with hypotension, renal impairment, or hyperkalemia

Discontinue immediately if pregnancy occurs

May cause dizziness, hypotension, or hyperkalemia

#### **Side Effects:**

Common: hypotension, dizziness, hyperkalemia, fatigue

Less common: cough, renal impairment, headache

Rare: angioedema, severe hypersensitivity reactions, liver enzyme elevations

# **Storage:**

Store in a cool, dry, and dark place below 25°C Protect from moisture and light Keep out of reach of children

# Packaging:

Sacustep 200 Tablet is available in blister or strip packs

# **Schedule:**

Schedule H Prescription Drug – To be sold by retail on the prescription of a registered medical practitioner only

Manufactured in India for:



(An ISO 9001: 2015 Certified Co.)

Plot no.: 367-FF, Industrial Area Phase-I,

Panchkula-134113

TM: Trademark Applied for