

Information For the Use of
Tedizolid Phosphate (200mg) Tablet

Tedizool 200 Tablet

Brand Name: Tedizool 200 Tablet

Dosage Form: Tablet

Composition:

Each film-coated tablet contains:

- Tedizolid Phosphate IP equivalent to Tedizolid 200 mg
-

Description:

Tedizool 200 Tablet contains Tedizolid Phosphate, an oxazolidinone-class antibacterial agent indicated for the treatment of susceptible bacterial infections. It is effective against various gram-positive pathogens, including resistant strains. It helps in inhibiting bacterial protein synthesis, thereby controlling the spread of infection and promoting recovery.

Indications:

Indicated for the treatment of:

- Acute bacterial skin and skin structure infections (ABSSSI)
- Infections caused by susceptible gram-positive organisms, including methicillin-resistant *Staphylococcus aureus* (MRSA)

It helps in reducing bacterial load, controlling inflammation, and improving clinical symptoms associated with infection.

Dosage & Administration:

Dosage should be as directed by the physician.

The usual recommended dose is 200 mg once daily for 6 days.

The tablet may be taken with or without food.

Complete the full course of therapy to minimize antibiotic resistance.

Pharmacological Action:

- Tedizolid inhibits bacterial protein synthesis by binding to the 50S ribosomal subunit.
- This prevents formation of the functional 70S initiation complex essential for bacterial translation.
- It exhibits potent activity against susceptible gram-positive pathogens.

These actions help in controlling bacterial growth and resolving infection.

Side Effects:

Common side effects include nausea, vomiting, diarrhea, headache, and dizziness.

Rarely, thrombocytopenia or peripheral neuropathy may occur with prolonged use.

Hypersensitivity reactions are uncommon.

Precautions & Warnings:

- Use only for confirmed or strongly suspected bacterial infections
 - Monitor complete blood count during prolonged therapy
 - Use with caution in patients with myelosuppression or neuropathic disorders
 - Avoid unnecessary prolonged use to reduce resistance development
 - Safety in pregnancy and lactation should be assessed by the physician
-

Drug Interactions:

Caution with serotonergic or adrenergic agents due to potential interaction risk.

Inform the physician about all concomitant medications prior to therapy.

Storage:

Store below 25°C in a cool, dry place.

**Protect from light and moisture.
Keep out of reach of children.**

Manufactured in India for:



Cafoli Lifecare Pvt. Ltd.

(An ISO 9001: 2015 Certified Co.)

Plot no.: 367-FF, Industrial Area Phase-I, Panchkula-134113

TM: Trademark Applied for