Information For the User TELMISARTAN 40MG+HYDROCHLORTHIAZIDE 12.5MG

Telbolife H Tablet

Brand Name: Telbolife H Tablet

Dosage Form: Tablet

Therapeutic Category: Antihypertensive

Composition:

Each uncoated tablet contains:

• **Telmisartan I.P.** – 40 mg

• **Hydrochlorothiazide I.P.** – 12.5 mg

Description:

Telbolife H Tablet is a combination of **Telmisartan**, an angiotensin II receptor blocker (ARB), and **Hydrochlorothiazide**, a thiazide diuretic. This combination helps to control blood pressure through two complementary mechanisms: Telmisartan reduces blood pressure by blocking the vasoconstrictor effect of angiotensin II, while Hydrochlorothiazide works by reducing blood volume through diuresis.

Indications:

- Treatment of essential hypertension in adults, particularly in patients who are inadequately controlled by monotherapy.
- Reduction of the risk of cardiovascular morbidity in hypertensive patients.

Dosage and Administration:

- **Recommended Dose**: One tablet once daily.
- **Administration**: The tablet can be taken with or without food. It is recommended to take the tablet at the same time each day for optimal control of blood pressure.
- **Dose Adjustment**: The dosage should be individualized based on the patient's response and blood pressure levels.

Contraindications:

- Hypersensitivity to Telmisartan, Hydrochlorothiazide, sulfonamide derivatives, or any other components of the formulation.
- Severe renal impairment or anuria.
- Pregnancy and lactation.
- Hyperkalemia.

Precautions:

- **Renal Function**: Regular monitoring of renal function and electrolytes is advised.
- **Electrolyte Imbalance**: Caution should be exercised in patients with a history of electrolyte disturbances (e.g., hypokalemia, hyperkalemia).
- **Hepatic Impairment**: Use with caution in patients with hepatic dysfunction.

• **Gout**: Hydrochlorothiazide may increase serum uric acid levels, which could trigger gout in predisposed individuals.

Adverse Effects:

- Common: Dizziness, fatigue, headache, hypotension, and hypokalemia.
- **Serious**: Severe hypotension, renal failure, electrolyte imbalance, hyperuricemia, photosensitivity.

Storage:

- Store in a cool and dry place, below 25°C.
- Protect from light and moisture.
- Keep out of reach of children.

Manufactured in India for:



(An ISO 9001: 2015 Certified Co.)

Plot no.: 367-FF, Industrial Area Phase-I,

Panchkula-134113

TM: Trademark Applied for