

Uriviga-0.2

Tablets

Tamsulosin I.P 0.2mg.



Selective & Targeted Action

Highly selective $\alpha 1A$ -adrenoceptor antagonist that relaxes smooth muscle in the prostate and bladder neck.



Improves Urinary Flow

Significantly improves urinary flow rate and reduces symptoms of bladder outlet obstruction (BOO).



Effective Symptom Relief

Reduces lower urinary tract symptoms (LUTS) such as hesitancy, weak stream, and incomplete emptying.



Well Tolerated

Excellent safety profile with minimal cardiovascular effects and low incidence of adverse events.



Once Daily Convenience

Long half-life allows once-daily dosing for better patient compliance and convenience.

Indications

- Benign Prostatic Hyperplasia (BPH) with Lower Urinary Tract Symptoms (LUTS)
- Bladder Outlet Obstruction (BOO)
- Improvement of Urinary Flow & Symptom Relief in BPH

References:

- Chapple CR, et al. Tamsulosin: a review of its use in lower urinary tract symptoms compatible with benign prostatic hyperplasia. *Drugs*. 2004;64(18):2021-2042.
- Gravas S, Cornu JN, Drake MJ, et al. EAU Guidelines on Management of Non-neurogenic Male LUTS. European Association of Urology. 2024.
- McVary KT. Tamsulosin in the treatment of benign prostatic hyperplasia. *Expert Opin Pharmacother*. 2005;6(2):249-257.
- Roehrborn CG. Alpha-blockers in the treatment of benign prostatic hyperplasia. *Rev Urol*. 2005;7(Suppl 4):S12-S17.