

Uriviga T PR Capsule

Tamsulosin 0.4 mg + Tadalafil 5 mg Capsule

A Comprehensive Solution for Benign Prostatic Hyperplasia (BPH) and Lower Urinary Tract Symptoms (LUTS)

This combination capsule of Tamsulosin and Tadalafil is designed to provide effective relief from the symptoms of Benign Prostatic Hyperplasia (BPH) and associated lower urinary tract symptoms (LUTS). By combining an alpha-blocker and a phosphodiesterase-5 (PDE5) inhibitor, it offers both immediate and sustained benefits for urinary flow, bladder health, and overall quality of life.

Composition & Mechanism of Action

- Tamsulosin (0.4 mg)**
 - Class:** Alpha-1 adrenergic receptor blocker.
 - Action:** Relaxes smooth muscles in the bladder neck and prostate, improving urinary flow and reducing symptoms like difficulty in starting urination and frequent urination.
- Tadalafil (5 mg)**
 - Class:** Phosphodiesterase-5 (PDE5) inhibitor.
 - Action:** Improves smooth muscle relaxation in the bladder and prostate while enhancing blood flow. Tadalafil also helps manage erectile dysfunction (ED), providing added benefits for men with concurrent BPH and ED.

Key Benefits

- Improves Urinary Flow:** Provides rapid relief from BPH symptoms such as weak stream and urinary hesitancy.

- Dual-Action for BPH and ED:** Addresses both urinary symptoms and erectile dysfunction, common in men with BPH.
- Sustained Relief:** Tadalafil offers long-lasting effects, improving bladder function and quality of life.
- Non-Surgical Management:** Reduces the need for invasive procedures in managing BPH.

Indications

- Benign Prostatic Hyperplasia (BPH) with or without erectile dysfunction (ED).
- Lower Urinary Tract Symptoms (LUTS) associated with BPH.

Dosage and Administration

- Recommended Dose:** One capsule daily or as directed by your healthcare provider.
- Swallow the capsule whole with water, preferably at the same time each day.
- Can be taken with or without food.

Precautions

- Blood Pressure Monitoring:** Tamsulosin and Tadalafil may lower blood pressure; caution is advised in patients prone to hypotension.
- Avoid Nitrates:** Do not use Tadalafil in combination with nitrates or medications used for chest pain, as it can cause a dangerous drop in blood pressure.
- Prostate Cancer Screening:** Ensure prostate cancer is ruled out before starting treatment, as symptoms may overlap.
- Allergic Reactions:** Discontinue use and consult your doctor if you experience rash, swelling, or difficulty breathing.

Potential Side Effects

- **Common:** Dizziness, headache, nasal congestion, and back pain.
 - **Less Common:** Flushing, indigestion, and mild visual disturbances.
 - **Rare:** Severe allergic reactions, prolonged erections (priapism), or sudden loss of vision/hearing—seek immediate medical attention if these occur.
-

Additional Information

- **Storage:** Store in a cool, dry place away from direct sunlight.
- **Packaging:** Available in blister packs of 10 or 30 capsules.
- **Shelf Life:** Best before 24 months from the date of manufacture.

For improved urinary health and enhanced well-being, trust Tamsulosin + Tadalafil Capsules.

Consult your healthcare provider to determine if this dual-action solution is right for you.

Manufactured in India for:



Cafoli Lifecare Pvt. Ltd.

(An ISO 9001: 2015 Certified Co.)

Plot no.: 367-FF, Industrial Area Phase-I,
Panchkula-134113

TM: Trademark Applied for